Page 1/7

\*

\*



# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.04.2017

Version number 110

Revision: 14.04.2017

<b>SECTION 1: Identification of the substance/mixture and of the</b>	company/anacriaking
· 1.1 Product identifier · Trade name: <u>MOTIP® FREEZER ELECTRONIC 360 ML</u>	
<ul> <li>Article number: 090409</li> <li>1.2 Relevant identified uses of the substance or mixture and uses advised ago</li> <li>Sector of Use</li> </ul>	ainst
SU21 Consumer uses: Private households / general public / consumers SU22 Professional uses: Public domain (administration, education, entertain • Product category PC35 Washing and cleaning products (including solvent be • Process category PROC7 Industrial spraying PROC11 Non industrial spraying	
<ul> <li>Environmental release category</li> <li>ERC8a Widespread use of non-reactive processing aid (no inclusion into or e ERC8d Widespread use of non-reactive processing aid (no inclusion into or e</li> <li>Application of the substance / the mixture Cleaning agent/ Cleaner</li> </ul>	
<ul> <li>1.3 Details of the supplier of the safety data sheet</li> <li>Manufacturer/Supplier: MOTIP DUPLI B.V.</li> </ul>	
Wolfraamweg 2 NL- 8471 XC Wolvega The Netherlands Tel: +31 (0)561 694400 Fax: +31 (0)561 694411	
e-mail info@nl.motipdupli.com	
• Further information obtainable from: Department Product Safety	
<ul> <li>Further information obtainable from: Department Product Safety</li> <li>1.4 Emergency telephone number: +31 (0)561-694400 (09:00h - 17:00h)</li> </ul>	
• Further information obtainable from: Department Product Safety	
<ul> <li>Further information obtainable from: Department Product Safety</li> <li>1.4 Emergency telephone number: +31 (0)561-694400 (09:00h - 17:00h)</li> <li>SECTION 2: Hazards identification</li> <li>2.1 Classification of the substance or mixture</li> <li>Classification according to Regulation (EC) No 1272/2008</li> </ul>	
<ul> <li>Further information obtainable from: Department Product Safety</li> <li>1.4 Emergency telephone number: +31 (0)561-694400 (09:00h - 17:00h)</li> <li>SECTION 2: Hazards identification</li> <li>2.1 Classification of the substance or mixture</li> </ul>	
<ul> <li>Further information obtainable from: Department Product Safety</li> <li>1.4 Emergency telephone number: +31 (0)561-694400 (09:00h - 17:00h)</li> <li>SECTION 2: Hazards identification</li> <li>2.1 Classification of the substance or mixture</li> <li>Classification according to Regulation (EC) No 1272/2008         Aerosol 3 H229 Pressurised container: May burst if heated.     </li> <li>2.2 Label elements</li> </ul>	
<ul> <li>Further information obtainable from: Department Product Safety</li> <li>1.4 Emergency telephone number: +31 (0)561-694400 (09:00h - 17:00h)</li> <li>SECTION 2: Hazards identification</li> <li>2.1 Classification of the substance or mixture</li> <li>Classification according to Regulation (EC) No 1272/2008</li> <li>Aerosol 3 H229 Pressurised container: May burst if heated.</li> <li>2.2 Label elements</li> <li>Labelling according to Regulation (EC) No 1272/2008</li> </ul>	
<ul> <li>Further information obtainable from: Department Product Safety</li> <li>1.4 Emergency telephone number: +31 (0)561-694400 (09:00h - 17:00h)</li> <li>SECTION 2: Hazards identification</li> <li>2.1 Classification of the substance or mixture</li> <li>Classification according to Regulation (EC) No 1272/2008 Aerosol 3 H229 Pressurised container: May burst if heated.</li> <li>2.2 Label elements</li> <li>Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation.</li> </ul>	
<ul> <li>Further information obtainable from: Department Product Safety</li> <li>1.4 Emergency telephone number: +31 (0)561-694400 (09:00h - 17:00h)</li> <li>SECTION 2: Hazards identification</li> <li>2.1 Classification of the substance or mixture</li> <li>Classification according to Regulation (EC) No 1272/2008</li> <li>Aerosol 3 H229 Pressurised container: May burst if heated.</li> <li>2.2 Label elements</li> <li>Labelling according to Regulation (EC) No 1272/2008</li> <li>The substance is classified and labelled according to the CLP regulation.</li> <li>Hazard pictograms Void</li> <li>Signal word Warning</li> </ul>	
<ul> <li>Further information obtainable from: Department Product Safety</li> <li>1.4 Emergency telephone number: +31 (0)561-694400 (09:00h - 17:00h)</li> <li>SECTION 2: Hazards identification</li> <li>2.1 Classification of the substance or mixture</li> <li>Classification according to Regulation (EC) No 1272/2008 Aerosol 3 H229 Pressurised container: May burst if heated.</li> <li>2.2 Label elements</li> <li>Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation.</li> <li>Hazard pictograms Void</li> <li>Signal word Warning</li> <li>Hazard statements</li> </ul>	
<ul> <li>Further information obtainable from: Department Product Safety</li> <li>1.4 Emergency telephone number: +31 (0)561-694400 (09:00h - 17:00h)</li> <li>SECTION 2: Hazards identification</li> <li>2.1 Classification of the substance or mixture</li> <li>Classification according to Regulation (EC) No 1272/2008</li> <li>Aerosol 3 H229 Pressurised container: May burst if heated.</li> <li>2.2 Label elements</li> <li>Labelling according to Regulation (EC) No 1272/2008</li> <li>The substance is classified and labelled according to the CLP regulation.</li> <li>Hazard pictograms Void</li> <li>Signal word Warning</li> <li>Hazard statements</li> <li>H229 Pressurised container: May burst if heated.</li> </ul>	
<ul> <li>Further information obtainable from: Department Product Safety</li> <li>1.4 Emergency telephone number: +31 (0)561-694400 (09:00h - 17:00h)</li> <li>SECTION 2: Hazards identification</li> <li>2.1 Classification of the substance or mixture</li> <li>Classification according to Regulation (EC) No 1272/2008</li> <li>Aerosol 3 H229 Pressurised container: May burst if heated.</li> <li>2.2 Label elements</li> <li>Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation.</li> <li>Hazard pictograms Void</li> <li>Signal word Warning</li> <li>Hazard statements H229 Pressurised container: May burst if heated.</li> <li>Precautionary statements P102 Keep out of reach of children.</li> </ul>	
<ul> <li>Further information obtainable from: Department Product Safety</li> <li>1.4 Emergency telephone number: +31 (0)561-694400 (09:00h - 17:00h)</li> <li>SECTION 2: Hazards identification</li> <li>2.1 Classification of the substance or mixture</li> <li>Classification according to Regulation (EC) No 1272/2008</li> <li>Aerosol 3 H229 Pressurised container: May burst if heated.</li> <li>2.2 Label elements</li> <li>Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation.</li> <li>Hazard pictograms Void</li> <li>Signal word Warning</li> <li>Hazard statements H229 Pressurised container: May burst if heated.</li> <li>Precautionary statements P102 Keep out of reach of children. P260 Do not breathe spray.</li> </ul>	
<ul> <li>Further information obtainable from: Department Product Safety</li> <li>1.4 Emergency telephone number: +31 (0)561-694400 (09:00h - 17:00h)</li> <li>SECTION 2: Hazards identification</li> <li>2.1 Classification of the substance or mixture</li> <li>Classification according to Regulation (EC) No 1272/2008</li> <li>Aerosol 3 H229 Pressurised container: May burst if heated.</li> <li>2.2 Label elements</li> <li>Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation.</li> <li>Hazard pictograms Void</li> <li>Signal word Warning</li> <li>Hazard statements H229 Pressurised container: May burst if heated.</li> <li>Precautionary statements P102 Keep out of reach of children. P260 Do not breathe spray. P210 Keep away from heat, hot surfaces, sparks, open flames and other</li> </ul>	r ignition sources. No smoking.
<ul> <li>Further information obtainable from: Department Product Safety</li> <li>1.4 Emergency telephone number: +31 (0)561-694400 (09:00h - 17:00h)</li> <li>SECTION 2: Hazards identification</li> <li>2.1 Classification of the substance or mixture</li> <li>Classification according to Regulation (EC) No 1272/2008 Aerosol 3 H229 Pressurised container: May burst if heated. </li> <li>2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. Hazard pictograms Void Signal word Warning Hazard statements H229 Pressurised container: May burst if heated. Precautionary statements P102 Keep out of reach of children. P260 Do not breathe spray. P210 Keep away from heat, hot surfaces, sparks, open flames and other P251 Do not pierce or burn, even after use. P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 5</li></ul>	50 °C/122 °F.
<ul> <li>Further information obtainable from: Department Product Safety</li> <li>1.4 Emergency telephone number: +31 (0)561-694400 (09:00h - 17:00h)</li> <li>SECTION 2: Hazards identification</li> <li>2.1 Classification of the substance or mixture</li> <li>Classification according to Regulation (EC) No 1272/2008</li> <li>Aerosol 3 H229 Pressurised container: May burst if heated.</li> <li>2.2 Label elements</li> <li>Labelling according to Regulation (EC) No 1272/2008</li> <li>The substance is classified and labelled according to the CLP regulation.</li> <li>Hazard pictograms Void</li> <li>Signal word Warning</li> <li>Hazard statements</li> <li>H229 Pressurised container: May burst if heated.</li> <li>Precautionary statements</li> <li>P102 Keep out of reach of children.</li> <li>P260 Do not breathe spray.</li> <li>P210 Keep away from heat, hot surfaces, sparks, open flames and other.</li> <li>P251 Do not pierce or burn, even after use.</li> <li>P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 5</li> <li>P501 Dispose of contents/container in accordance with local regulation.</li> <li>Additional information:</li> <li>4.0 % by mass of the contents are flammable</li> </ul>	50 °C/122 °F.
<ul> <li>Further information obtainable from: Department Product Safety</li> <li>1.4 Emergency telephone number: +31 (0)561-694400 (09:00h - 17:00h)</li> <li>SECTION 2: Hazards identification</li> <li>2.1 Classification of the substance or mixture</li> <li>Classification according to Regulation (EC) No 1272/2008</li> <li>Aerosol 3 H229 Pressurised container: May burst if heated.</li> <li>2.2 Label elements</li> <li>Labelling according to Regulation (EC) No 1272/2008</li> <li>The substance is classified and labelled according to the CLP regulation.</li> <li>Hazard pictograms Void</li> <li>Signal word Warning</li> <li>Hazard statements</li> <li>H229 Pressurised container: May burst if heated.</li> <li>Precautionary statements</li> <li>P102 Keep out of reach of children.</li> <li>P260 Do not breathe spray.</li> <li>P210 Keep away from heat, hot surfaces, sparks, open flames and other.</li> <li>P251 Do not pierce or burn, even after use.</li> <li>P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 5</li> <li>P501 Dispose of contents/container in accordance with local regulation.</li> <li>Additional information:</li> <li>4.0 % by mass of the contents are flammable</li> <li>2.3 Other hazards</li> </ul>	50 °C/122 °F.
<ul> <li>Further information obtainable from: Department Product Safety</li> <li>1.4 Emergency telephone number: +31 (0)561-694400 (09:00h - 17:00h)</li> <li>SECTION 2: Hazards identification</li> <li>2.1 Classification of the substance or mixture</li> <li>Classification according to Regulation (EC) No 1272/2008 Aerosol 3 H229 Pressurised container: May burst if heated. </li> <li>2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The substance is classified and labelled according to the CLP regulation. Hazard pictograms Void Signal word Warning Hazard statements H229 Pressurised container: May burst if heated. Pressurised container: May burst if heated. Precoutionary statements P102 Keep out of reach of children. P200 Do not breathe spray. P210 Keep away from heat, hot surfaces, sparks, open flames and other. P251 Do not pierce or burn, even after use. P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 5 P501 Dispose of contents/container in accordance with local regulation. Additional information: 4.0 % by mass of the contents are flammable</li></ul>	50 °C/122 °F.

Page 2/7

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.04.2017

Version number 110

Revision: 14.04.2017

### Trade name: MOTIP® FREEZER ELECTRONIC 360 ML

• **vPvB:** Not applicable.

(Contd. of page 1)

# **SECTION 3: Composition/information on ingredients**

- · 3.1 Chemical characterisation: Substances
- · CAS No. Description
- 811-97-2 1,1,1,2-Tetrafluorethan
- Identification number(s)
- **EC number:** 212-377-0
- · 3.2 Chemical characterisation: Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

<ul> <li>Dangerous components:</li> </ul>			
CAS: 811-97-2	1,1,1,2-Tetrafluoroethane	🔗 Press. Gas L, H280	75-100%
EINECS: 212-377-0 Reg.nr.: 01-2119459374-33-xxxx			
CAS: 115-10-6	dimethyl ether	🚸 Flam. Gas 1, H220	2.5-5%
EINECS: 204-065-8	5	Press. Gas C, H280	
Index number: 603-019-00-8			
Reg.nr.: 01-2119472128-37-xxxx	wording of the listed hazard phrases r	of an to gootion 16	

• Additional information: For the wording of the listed hazard phrases refer to section 16.

# **SECTION 4: First aid measures**

• 4.1 Description of first aid measures

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- $\cdot$  4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

# **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

# **SECTION 6:** Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Ensure adequate ventilation.
- 6.4 Reference to other sections No dangerous substances are released. See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

(Contd. on page 3)

Page 3/7

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.04.2017

Version number 110

Revision: 14.04.2017

#### Trade name: MOTIP® FREEZER ELECTRONIC 360 ML

(Contd. of page 2)

# **SECTION 7: Handling and storage**

· 7.1 Precautions for safe handling

No special measures required.

Ensure good ventilation/exhaustion at the workplace.

· Information about fire - and explosion protection:

- Do not spray onto a naked flame or any incandescent material.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:
- Observe official regulations on storing packagings with pressurised containers.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- 7.3 Specific end use(s) No further relevant information available.

### **SECTION 8: Exposure controls/personal protection**

· Additional information about design of technical facilities: No further data; see item 7.

#### · 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

811-97-2 1,1,1,2-Tetrafluoroethane

WEL Long-term value: 4240 mg/m<sup>3</sup>, 1000 ppm

115-10-6 dimethyl ether

WEL Short-term value: 958 mg/m<sup>3</sup>, 500 ppm

Long-term value: 766 mg/m<sup>3</sup>, 400 ppm

· Additional information: The lists valid during the making were used as basis.

- · 8.2 Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:
- Wash hands before breaks and at the end of work.
- Do not inhale gases / fumes / aerosols.
- · Respiratory protection: Not required.
- **Protection of hands:** Not required.
- · Material of gloves Not required.
- · Penetration time of glove material Not required.
- Eye protection: Not required.

# **SECTION 9: Physical and chemical properties**

• 9.1 Information on basic physical a • General Information	und chemical properties	
· Appearance:		
Form:	Aerosol	
Colour:	Colourless	
· Odour:	Odourless	
· Odour threshold:	Not determined.	
· pH-value:	Not determined.	
· Change in condition		
Melting point/Melting range:	-101 °C (-150 °F)	
Boiling point/Boiling range:	Not applicable, as aerosol.	
		(Contd. on page 4)

- GB

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.04.2017

Version number 110

Revision: 14.04.2017

### Trade name: MOTIP® FREEZER ELECTRONIC 360 ML

		(Contd. of page 3)
· Flash point:	>100 °C (>212 °F)	
	Not applicable, as aerosol.	
· Flammability (solid, gaseous):	Not applicable.	
· Ignition temperature:	>750 °C (>1382 °F)	
· Decomposition temperature:	Not determined.	
· Self-igniting:	Product is not selfigniting.	
· Danger of explosion:	Not determined.	
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapour pressure at 20 °C (68 °F):	5.716 hPa (4 mm Hg)	
· Density at 20 °C (68 °F):	1.1 g/cm <sup>3</sup> (9.18 lbs/gal)	
· Relative density	Not determined.	
· Vapour density	Not determined.	
· Evaporation rate	Not applicable.	
· Solubility in / Miscibility with		
water at 20 °C (68 °F):	1.93 g/l	
· Partition coefficient (n-octanol/wate	r): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
· Solvent content:		
Organic solvents:	4.0 %	
· EU-VOC:	1100.0 g/l	
• EU-VOC in %:	100.00 %	
<ul> <li>9.2 Other information</li> </ul>	No further relevant information available.	

# SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

# **SECTION 11: Toxicological information**

· 11.1 Information on toxicological effects

· Acute toxicity Based on available data, the classification criteria are not met.

### · LD/LC50 values relevant for classification:

115-10-6 dimethyl ether

Inhalative LC50/4 h 308 mg/m3 (rat)

· Primary irritant effect:

· Skin corrosion/irritation Based on available data, the classification criteria are not met.

· Serious eye damage/irritation Based on available data, the classification criteria are not met.

· Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

(Contd. on page 5)

GB

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.04.2017

Version number 110

Revision: 14.04.2017

(Contd. of page 4)

#### Trade name: MOTIP® FREEZER ELECTRONIC 360 ML

- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- *Reproductive toxicity Based on available data, the classification criteria are not met.*
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met. • Aspiration hazard Based on available data, the classification criteria are not met.

# SECTION 12: Ecological information

#### · 12.1 Toxicity

- · Aquatic toxicity:
- 115-10-6 dimethyl ether
- EC50 / 48 h >4000 mg/l (daphnia magna)
- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:

#### · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

# **SECTION 13: Disposal considerations**

#### · 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

20 01 13\* solvents

15 01 04 metallic packaging

· Uncleaned packaging:

· Recommendation: Non contaminated packagings may be recycled.

· 14.1 UN-Number		
· ADR, IMDG, IATA	UN1950	
· 14.2 UN proper shipping name		
· ADR	1950 AEROSOLS	
· IMDG	AEROSOLS	
· IATA	AEROSOLS, non-flammable	

Page 6/7

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.04.2017

Version number 110

Revision: 14.04.2017

# Trade name: MOTIP® FREEZER ELECTRONIC 360 ML

	(Contd. of pag
14.3 Transport hazard class(es)	
ADR	
2	
Class	2 5A Gases.
Label	2.2
IMDG, IATA	
	2.2
Class Label	2.2 2.2
14.4 Packing group ADR, IMDG, IATA	Void
14.5 Environmental hazards:	
Marine pollutant:	No
14.6 Special precautions for user	Warning: Gases.
Danger code (Kemler):	
EMS Number:	F-D,S-U
Stowage Code	SW1 Protected from sources of heat.
	SW22 For AEROSOLS with a maximum capacity of 1 litr Category A. For AEROSOLS with a capacity above 1 litr
	Category B. For WASTE AEROSOLS: Category C, Clear
	of living quarters.
Segregation Code	SG69 For AEROSOLS with a maximum capacity of 1 litr
	Segregation as for class 9. Stow "separated from" class a except for division 1.4. For AEROSOLS with a capacity
	above 1 litre: Segregation as for the appropriate
	subdivision of class 2. For WASTE AEROSOLS:
	Segregation as for the appropriate subdivision of class 2
14.7 Transport in bulk according to Ann	
Marpol and the IBC Code	Not applicable.
Transport/Additional information:	
ADR	
Limited quantities (LQ)	
Excepted quantities (EQ)	<i>Code: E0</i> <i>Not permitted as Excepted Quantity</i>
Transport category	3
Tunnel restriction code	E
IMDG	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E0 Not normitted as Excepted Quantity
	Not permitted as Excepted Quantity
UN "Model Regulation":	UN 1950 AEROSOLS, 2.2

(Contd. on page 7)

GB

Page 7/7

\*

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 14.04.2017

Version number 110

Revision: 14.04.2017

Trade name: MOTIP® FREEZER ELECTRONIC 360 ML

(Contd. of page 6)

# **SECTION 15: Regulatory information**

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H220 Extremely flammable gas. H280 Contains gas under pressure; may explode if heated.

- · Department issuing SDS: R&D legislation and regulatory advisor
- · Contact: Mr. K. Smedeman

# • Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

Flam. Gas 1: Flammable gases – Category 1

Aerosol 3: Aerosols – Category 3

Press. Gas C: Gases under pressure - Compressed gas

Press. Gas L: Gases under pressure - Liquefied gas

 $\cdot$  \* Data compared to the previous version altered.

GB