



**SAFETY DATA SHEET**  
FARECLA G3 PROFESSIONAL CUT & WAX

**Page:** 1  
**Compilation date:** 06/02/2018  
**Revision No:** 1

**Section 1: Identification of the substance/mixture and of the company/undertaking**

**1.1. Product identifier**

**Product name:** FARECLA G3 PROFESSIONAL CUT & WAX

**Product code:** 7226

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

**Use of substance / mixture:** PC31: Polishes and wax blends.

**1.3. Details of the supplier of the safety data sheet**

**Company name:** Farecla Products Limited

Broadmeads

Ware

Hertfordshire

SG12 9HS

UK

**Tel:** +44 (0)1920 465041

**Fax:** +44 (0)1920 466557

**Email:** technical@farecla.com

**1.4. Emergency telephone number**

**Emergency tel:** +44 (0)1920 465041

8:30 - 16:30 (Monday to Friday)

**Section 2: Hazards identification**

**2.1. Classification of the substance or mixture**

**Classification under CLP:** STOT SE 3: H336; -: EUH066; -: EUH208

**Most important adverse effects:** Repeated exposure may cause skin dryness or cracking. Contains 1,2-benzisothiazolin-3-one. May produce an allergic reaction. May cause drowsiness or dizziness.

**2.2. Label elements**

**Label elements:**

**Hazard statements:** EUH066: Repeated exposure may cause skin dryness or cracking.

EUH208: Contains 1,2-benzisothiazolin-3-one. May produce an allergic reaction.

H336: May cause drowsiness or dizziness.

**Hazard pictograms:** GHS07: Exclamation mark



**SAFETY DATA SHEET**  
FARECLA G3 PROFESSIONAL CUT & WAX

Page: 2

**Signal words:** Warning

**Precautionary statements:** P261: Avoid breathing dust/fumes/gas/mist/vapours/spray.  
P271: Use only outdoors or in a well-ventilated area.  
P304+340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P312: Call a POISON CENTER/doctor if you feel unwell.  
P403+233: Store in a well-ventilated place. Keep container tightly closed.  
P405: Store locked up.

**2.3. Other hazards**

**PBT:** This product is not identified as a PBT/vPvB substance.

**Section 3: Composition/information on ingredients**

**3.2. Mixtures**

**Hazardous ingredients:**

HYDROCARBONS, C9-C11, N-ALKANES, ISOALKANES, CYCLICS, <2% AROMATICS - REACH registered number(s): 01-2119463258-33

EINECS	CAS	PBT / WEL	CLP Classification	Percent
919-857-5	-	-	Flam. Liq. 3: H226; STOT SE 3: H336; Asp. Tox. 1: H304; -: EUH066	10-30%

HYDROCARBONS, C11-C13, ISOALKANES, < 2% AROMATICS - REACH registered number(s): 01-2119456810-40-0000

920-901-0	246538-78-3	Substance with a Community workplace exposure limit.	Asp. Tox. 1: H304	1-10%
-----------	-------------	--	-------------------	-------

ALUMINIUM OXIDE - REACH registered number(s): 01-2119529248-35-XXXX

215-691-6	1344-28-1	Substance with a Community workplace exposure limit.	-	1-10%
-----------	-----------	--	---	-------

DISTILLATES (PETROLEUM) HYDROTREATED MIDDLE - REACH registered number(s): 01-2119457735-29-0003

919-029-3	64742-46-7	Substance with a Community workplace exposure limit.	Asp. Tox. 1: H304; -: EUH066	1-10%
-----------	------------	--	------------------------------	-------

**Contains:** Hydrocarbons, C9-C11, n-Alkanes, Isoalkanes, Cyclics, <2% Aromatics  
Distillates (Petroleum) Hydrotreated Middle

**Section 4: First aid measures**

**4.1. Description of first aid measures**

**Skin contact:** Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash immediately with plenty of soap and water.

**Eye contact:** Bathe the eye with running water for 15 minutes. Consult a doctor.

**Ingestion:** Wash out mouth with water. Consult a doctor.

**Inhalation:** Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor.

[cont...]

**SAFETY DATA SHEET**  
FARECLA G3 PROFESSIONAL CUT & WAX

Page: 3

**4.2. Most important symptoms and effects, both acute and delayed**

**Skin contact:** There may be irritation and redness at the site of contact.

**Eye contact:** There may be irritation and redness. The eyes may water profusely.

**Ingestion:** There may be soreness and redness of the mouth and throat.

**Inhalation:** There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing.

**Delayed / immediate effects:** Immediate effects can be expected after short-term exposure.

**4.3. Indication of any immediate medical attention and special treatment needed**

**Immediate / special treatment:** Eye bathing equipment should be available on the premises.

**Section 5: Fire-fighting measures**

**5.1. Extinguishing media**

**Extinguishing media:** Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

**5.2. Special hazards arising from the substance or mixture**

**Exposure hazards:** In combustion emits toxic fumes.

**5.3. Advice for fire-fighters**

**Advice for fire-fighters:** Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

**Section 6: Accidental release measures**

**6.1. Personal precautions, protective equipment and emergency procedures**

**Personal precautions:** Refer to section 8 of SDS for personal protection details. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Turn leaking containers leak-side up to prevent the escape of liquid.

**6.2. Environmental precautions**

**Environmental precautions:** Do not discharge into drains or rivers. Contain the spillage using bunding.

**6.3. Methods and material for containment and cleaning up**

**Clean-up procedures:** Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

**6.4. Reference to other sections**

**Reference to other sections:** Refer to section 8 of SDS.

**Section 7: Handling and storage**

**7.1. Precautions for safe handling**

**Handling requirements:** Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Avoid the formation or spread of mists in the air.

[cont...]

**SAFETY DATA SHEET**  
FARECLA G3 PROFESSIONAL CUT & WAX

Page: 4

**7.2. Conditions for safe storage, including any incompatibilities**

**Storage conditions:** Store in a cool, well ventilated area. Keep container tightly closed.

**Suitable packaging:** It is recommended to store in original packaging.

**7.3. Specific end use(s)**

**Specific end use(s):** No data available.

**Section 8: Exposure controls/personal protection**

**8.1. Control parameters**

**Hazardous ingredients:**

**HYDROCARBONS, C9-C11, N-ALKANES, ISOALKANES, CYCLICS, <2% AROMATICS**

**Workplace exposure limits:**

**Respirable dust**

State	8 hour TWA	15 min. STEL	8 hour TWA	15 min. STEL
EU	1200mg/m3, 197ppm	-	-	-

**HYDROCARBONS, C11-C13, ISOALKANES, < 2% AROMATICS**

UK	1200 mg/m3, 171 ppm	-	-	-
----	---------------------	---	---	---

**ALUMINIUM OXIDE**

UK	-	-	5mg/m3	-
----	---	---	--------	---

**DISTILLATES (PETROLEUM) HYDROTREATED MIDDLE**

EU	5 mg/m3	-	-	-
----	---------	---	---	---

**DNEL/PNEC Values**

**DNEL / PNEC** No data available.

**8.2. Exposure controls**

**Engineering measures:** Ensure there is sufficient ventilation of the area.

**Respiratory protection:** Self-contained breathing apparatus must be available in case of emergency.

**Hand protection:** Protective gloves.

**Eye protection:** Safety glasses. Ensure eye bath is to hand.

**Skin protection:** Protective clothing.

**Environmental:** No special requirement.

**Section 9: Physical and chemical properties**

**9.1. Information on basic physical and chemical properties**

**State:** Liquid

**Colour:** Pale blue

**Odour:** Pleasant

**Evaporation rate:** Negligible

**Oxidising:** Non-oxidising (by EC criteria)

[cont...]

**SAFETY DATA SHEET**  
FARECLA G3 PROFESSIONAL CUT & WAX

Page: 5

**Solubility in water:** Soluble

**Also soluble in:** No data available

**Viscosity:** Viscous

**Kinematic viscosity:** 25,000

**Viscosity test method:** Brookfield @ 20degC

**Boiling point/range °C:** 100

**Melting point/range °C:** Not applicable.

**Flammability limits %: lower:** No data available.

**upper:** No data available.

**Flash point °C:** >93

**Part.coeff. n-octanol/water:** No data available.

**Autoflammability °C:** No data available.

**Vapour pressure:** No data available.

**Relative density:** 0.94 -0.96

**pH:** 8 - 9

**VOC g/l:** 307

**9.2. Other information**

**Other information:** Not applicable.

**Section 10: Stability and reactivity**

**10.1. Reactivity**

**Reactivity:** Stable under recommended transport or storage conditions.

**10.2. Chemical stability**

**Chemical stability:** Stable under normal conditions.

**10.3. Possibility of hazardous reactions**

**Hazardous reactions:** Hazardous reactions will not occur under normal transport or storage conditions.

Decomposition may occur on exposure to conditions or materials listed below.

**10.4. Conditions to avoid**

**Conditions to avoid:** Heat.

**10.5. Incompatible materials**

**Materials to avoid:** Strong oxidising agents. Strong acids.

**10.6. Hazardous decomposition products**

**Haz. decomp. products:** In combustion emits toxic fumes.

**Section 11: Toxicological information**

**11.1. Information on toxicological effects**

**Hazardous ingredients:**

**HYDROCARBONS, C9-C11, N-ALKANES, ISOALKANES, CYCLICS, <2% AROMATICS**

DERMAL	RBT	LD50	>5000	mg/kg
--------	-----	------	-------	-------

[cont...]

**SAFETY DATA SHEET**  
FARECLA G3 PROFESSIONAL CUT & WAX

Page: 6

DUST/MIST	RAT	4H LC50	4951	mg/l
ORAL	RAT	LD50	>5000	mg/kg

**HYDROCARBONS, C11-C13, ISOALKANES, < 2% AROMATICS**

DERMAL	RBT	LD50	> 5000	mg/kg
ORAL	RAT	LD50	> 5000	mg/kg
VAPOURS	RAT	8H LC50	> 5000	mg/m3

**ALUMINIUM OXIDE**

DUST/MIST	RAT	LC50	7.6	mg/l
ORAL	RAT	LD50	> 2000	mg/kg

**DISTILLATES (PETROLEUM) HYDROTREATED MIDDLE**

DERMAL	RBT	LD50	>3160	mg/kg
ORAL	RAT	LD50	>5000	mg/kg
VAPOURS	RAT	4H LC50	>5266	mg/l

**Relevant hazards for product:**

Hazard	Route	Basis
STOT-single exposure	-	Hazardous: calculated

**Symptoms / routes of exposure**

**Skin contact:** There may be irritation and redness at the site of contact.

**Eye contact:** There may be irritation and redness. The eyes may water profusely.

**Ingestion:** There may be soreness and redness of the mouth and throat.

**Inhalation:** There may be irritation of the throat with a feeling of tightness in the chest. Exposure may cause coughing or wheezing.

**Delayed / immediate effects:** Immediate effects can be expected after short-term exposure.

**Other information:** Not applicable.

**Section 12: Ecological information**

**12.1. Toxicity**

**Hazardous ingredients:**

**HYDROCARBONS, C9-C11, N-ALKANES, ISOALKANES, CYCLICS, <2% AROMATICS**

Daphnia magna	48H EC50	1000	mg/l
RAINBOW TROUT (Oncorhynchus mykiss)	96H ErC50	>1000	mg/l

[cont...]

**SAFETY DATA SHEET**  
FARECLA G3 PROFESSIONAL CUT & WAX

Page: 7

**HYDROCARBONS, C11-C13, ISOALKANES, < 2% AROMATICS**

Daphnia magna	48H EC50	1000	mg/l
Pseudokirchneriella subcapitata	72H ErC50	1000	mg/l
RAINBOW TROUT (Oncorhynchus mykiss)	96H LC50	1000	mg/l

**ALUMINIUM OXIDE**

Daphnia magna	48H EC50	> 100	mg/l
GREEN ALGA (Selenastrum capricornutum)	48H EC50	> 100	mg/l
Salmo trutta	96H LC50	> 100	mg/l

**DISTILLATES (PETROLEUM) HYDROTREATED MIDDLE**

FISH	96H LC50	1028	mg/l
Invertebrate	48H LL50	>3000	mg/l
MARINE ALGAE (Skeletonema costatum)	72H ErC50	3198	mg/l
MARINE ALGAE (Skeletonema costatum)	72H IC50	3198	mg/l

**12.2. Persistence and degradability**

**Persistence and degradability:** Biodegradable.

**12.3. Bioaccumulative potential**

**Bioaccumulative potential:** No bioaccumulation potential.

**12.4. Mobility in soil**

**Mobility:** Readily absorbed into soil.

**12.5. Results of PBT and vPvB assessment**

**PBT identification:** This product is not identified as a PBT/vPvB substance.

**12.6. Other adverse effects**

**Other adverse effects:** Negligible ecotoxicity.

**Section 13: Disposal considerations**

**13.1. Waste treatment methods**

**Disposal operations:** Transfer to a suitable container and arrange for collection by specialised disposal company.

**Recovery operations:** Not applicable.

**Waste code number:** 08 04 12

**Disposal of packaging:** Arrange for collection by specialised disposal company.

**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

[cont...]

**SAFETY DATA SHEET**  
FARECLA G3 PROFESSIONAL CUT & WAX

Page: 8

**Section 14: Transport information**

**Transport class:** This product does not require a classification for transport.

**Section 15: Regulatory information**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**Specific regulations:** EU Legislation Regulation (EC) No 1907/2006 REACH. Regulation (EC) No 1272/2008 CLP. The surfactant(s) contained in this preparation complies (comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents.

**15.2. Chemical Safety Assessment**

**Chemical safety assessment:** A chemical safety assessment has not been carried out for the substance or the mixture by the supplier.

**Section 16: Other information**

**Other information**

**Other information:** This safety data sheet is prepared in accordance with Commission Regulation (EU) No 2015/830.

\* indicates text in the SDS which has changed since the last revision.

**Phrases used in s.2 and s.3:** EUH066: Repeated exposure may cause skin dryness or cracking.  
EUH208: Contains <name of sensitising substance>. May produce an allergic reaction.  
H226: Flammable liquid and vapour.  
H304: May be fatal if swallowed and enters airways.  
H336: May cause drowsiness or dizziness.

**Legal disclaimer:** The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.