

Page 1/9

*

*

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.06.2022

Version number 65 (replaces version 64)

Revision: 30.03.2022

1.1 Product ide	ntifier
Trade name: <u>M</u>	OTIP BITUMEN UNDERCOATING 1 LTR
No further relevent Sector of Use SU21 Consum SU22 Profession Product catego Process catego	entified uses of the substance or mixture and uses advised against want information available. er uses: Private households / general public / consumers onal uses: Public domain (administration, education, entertainment, services, craftsmen) ry Paint remover ry
PROC11 Non	trial spraying er application or brushing industrial spraying the substance / the mixture Anticorrosion additive
Manufacturer/ European Aero Wolfraamweg 2 NL-8471 XC W The Netherland Tel : +31 (0)56	sols B.V.* olvega Is
*Formerly know	vn as Motip Dupli B.V.
1.4 Emergency	ation obtainable from: Department Product Safety telephone number: 1400 (09:00h - 17:00h)
UK: NPIS Nati	onal Poisons Information Centre Tel: +44 0344 892 0111
	Hazards identification
	on of the substance or mixture according to Regulation (EC) No 1272/2008
flame	
Flam. Liq. 2	H225 Highly flammable liquid and vapour.
envir	onment
Aquatic Chroni	c 2 H411 Toxic to aquatic life with long lasting effects.
STOT SE 3	H336 May cause drowsiness or dizziness. (Contd. on page

Safety data sheet according to 1907/2006/EC, Article 31


Printing date 01.06.2022

Version number 65 (replaces version 64)

Revision: 30.03.2022

GB

Trade name: MOTIP BITUMEN UNDERCOATING 1 LTR



SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components: EC number: 920-750-0 Hydrocarbons, C7-C9, n-alkanes, isoalkanes, cyclics 25-<50% Reg.nr.: 01-2119473851-33 🐵 Flam. Liq. 2, H225 🚯 Asp. Tox. 1, H304 🚯 Aquatic Chronic 2, H411 (1) STOT SE 3, H336 EUH066 EC number: 918-668-5 2.5-<5% Hydrocarbons, C9, aromatics Reg.nr.: 01-2119455851-35 🚸 Flam. Liq. 3, H226 & Asp. Tox. 1, H304 🚯 Aquatic Chronic 2, H411 🚯 STOT SE 3, H335-H336 EUH066 (Contd. on page 3)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.06.2022

Version number 65 (replaces version 64)

Revision: 30.03.2022

Trade name: MOTIP BITUMEN UNDERCOATING 1 LTR

	(Co	ntd. of page 2)
CAS: 108-32-7	propylene carbonate	<2.5%
EINECS: 203-572-1	🗘 Eye Irrit. 2, H319	
Index number: 607-194-00-1	• •	

• Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

\cdot 4.1 Description of first aid measures

- General information: Immediately remove any clothing soiled by the product.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.
- · 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- \cdot 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- \cdot For safety reasons unsuitable extinguishing agents: Water with full jet
- \cdot 5.2 Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- · 5.3 Advice for firefighters -

*

· Protective equipment: Mouth respiratory protective device.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures
 Ensure adequate ventilation
 Mount respiratory protective device.
 Wear protective equipment. Keep unprotected persons away.
 Keep away from ignition sources.
 6.2 Environmental precautions:
 Inform respective authorities in case of seepage into water course or sewage system.
 Do not allow to enter sewers/ surface or ground water.
 6.3 Methods and material for containment and cleaning up:
 Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
 Dispose contaminated material as waste according to item 13.
 Ensure adequate ventilation.
 6.4 Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 - See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

(Contd. on page 4)

⁻ GB

*

*

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.06.2022

Version number 65 (replaces version 64)

Revision: 30.03.2022

Trade name: MOTIP BITUMEN UNDERCOATING 1 LTR

Information about fire - and explosion	(Contd. of pag
Keep ignition sources away - Do not sm	
Protect against electrostatic charges.	
Keep respiratory protective device avai	ilable
7.2 Conditions for safe storage, include Storage.	ing any incompatibilities
Storage: Requirements to be met by storerooms	and receptacles: Store in a cool location.
Information about storage in one com	
Further information about storage con	
Keep container tightly sealed.	
Store in cool, dry conditions in well sea	led receptacles.
Storage class: 3	1
7.3 Specific end use(s) No further relev	vant information available.
SECTION 8: Exposure controls/	personal protection
8.1 Control parameters	in monitoring at the work-lass.
Ingredients with limit values that require The product does not contain any relevant	ant quantities of materials with critical values that have to be
monitored at the workplace.	una quanantes of materials with critical values that have to be
Additional information: The lists valid	during the making were used as basis
-	an my me manny mere used as basis.
8.2 Exposure controls	
Appropriate engineering controls No fu	
Individual protection measures, such a	
General protective and hygienic measu	
Immediately remove all soiled and cont	
Wash hands before breaks and at the en	id of work.
Do not inhale gases / fumes / aerosols.	
Respiratory protection:	
	low pollution use respiratory filter device. In case of intensive or tained respiratory protective device.
Filter A2/P3	
Hand protection Not required.	
Material of gloves Not required.	
Penetration time of glove material Not	reauired.
Eye/face protection	1
Tightly sealed goggles	
SECTION 9: Physical and chem	ical properties
9.1 Information on basic physical and	chemical properties
General Information	
Physical state	Fluid
Colour:	Black
Odour:	Solvent-like
Odour threshold:	Not determined.
Melting point/freezing point:	Undetermined.
mening point freezing point.	

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.06.2022

Version number 65 (replaces version 64)

Revision: 30.03.2022

Trade name: MOTIP BITUMEN UNDERCOATING 1 LTR

N 11 1 1 1 1 1 1 1 1	(Contd. of page
Boiling point or initial boiling point and boiling	90 °C (194 °F)
range	
Flammability	Not applicable.
Lower and upper explosion limit	$0 \in W_{-1,0}$
Lower:	0.6 Vol %
Upper:	0.7 Vol %
Flash point:	$9 {}^{\circ}C(48.2 {}^{\circ}F)$
Ignition temperature:	$>200 \ ^{\circ}C \ (>392 \ ^{\circ}F)$
D	200 °C (392 °F)
Decomposition temperature:	Not determined.
pH Viscositu	Not determined.
Viscosity: Kinematic viscosity	Not determined
	Not determined. 3500 mPas
Dynamic at 20 °C (68 °F):	5500 mPas
Solubility	Not missible on difficult to min
water:	Not miscible or difficult to mix.
Partition coefficient n-octanol/water (log value) Vancur massure at 20 \cdot C (68 \cdot E):	Not determined.
Vapour pressure at 20 $^{\circ}C$ (68 $^{\circ}F$):	20 hPa (15 mm Hg) 100 hPa (75 mm Ha)
Density and/an aslating density	100 hPa (75 mm Hg)
Density and/or relative density	$1.1 \text{ s/sm}^3(0.2 \text{ lbs/ssl})$
Density at 20 °C (68 °F):	$1.1 \text{ g/cm}^3 (9.2 \text{ lbs/gal})$
Relative density	Not determined.
Vapour density	Not determined.
9.2 Other information	
Appearance:	
Form:	Fluid
Important information on protection of health and	d
environment, and on safety.	
Explosive properties:	Product is not explosive. However, formation of
G 1 4 4 4	explosive air/vapour mixtures are possible.
Solvent content:	22.1.0/
Organic solvents:	33.1 %
VOC (EC)	
	361.0 g/l
VOC-EU%	33.12 %
Solids content:	66.9 %
Change in condition	
Evaporation rate	Not determined.
Information with regard to physical hazard classe	
Explosives	Void
Flammable gases	Void
Aerosols	Void
	Void
	Void
Gases under pressure	Void Highly flammable liquid and vapour.
Gases under pressure Flammable liquids	
Gases under pressure Flammable liquids Flammable solids	Highly flammable liquid and vapour.
Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures	Highly flammable liquid and vapour. Void
Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids	Highly flammable liquid and vapour. Void Void
Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures	Highly flammable liquid and vapour. Void Void Void
Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures	Highly flammable liquid and vapour. Void Void Void Void
Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit flammable	Highly flammable liquid and vapour. Void Void Void Void Void
Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit flammable gases in contact with water	Highly flammable liquid and vapour. Void Void Void Void Void Void
Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit flammable gases in contact with water Oxidising liquids	Highly flammable liquid and vapour. Void Void Void Void Void Void Void
Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit flammable gases in contact with water	Highly flammable liquid and vapour. Void Void Void Void Void Void

(Contd. on page 6)

Page 6/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.06.2022

Version number 65 (replaces version 64)

Revision: 30.03.2022

(Contd. of page 5)

Trade name: MOTIP BITUMEN UNDERCOATING 1 LTR

· Desensitised explosives

Void

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Skin corrosion/irritation No irritant effect.
- Serious eye damage/irritation No irritating effect.
- · Respiratory or skin sensitisation No sensitising effects known.
- · STOT-single exposure May cause drowsiness or dizziness.
- · 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Remark: Toxic for fish
- Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

(Contd. on page 7)

GB

Page 7/9

*

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.06.2022

Version number 65 (replaces version 64)

Revision: 30.03.2022

(Contd. of page 6)

GB

Trade name: MOTIP BITUMEN UNDERCOATING 1 LTR

· Uncleaned packaging:

· Recommendation:

Disposal must be made according to official regulations. Disposal must be made according to official regulations.

SECTION 14: Transport information

• 14.1 UN number or ID number	1011120	
· ADR, IMDG, IATA	UN1139	
 14.2 UN proper shipping name ADR IMDG IATA 	1139 COATING SOLUTION, ENVIRONMENTALLY HAZARDOUS COATING SOLUTION, MARINE POLLUTANT COATING SOLUTION	
· 14.3 Transport hazard class(es)		
· ADR		
· Class · Label	3 (F1) Flammable liquids. 3	
· IMDG		
· Class · Label	3 Flammable liquids. 3	
· IATA		
· Class · Label	3 Flammable liquids. 3	
· 14.4 Packing group · ADR, IMDG, IATA	111	
 14.5 Environmental hazards: Marine pollutant: Special marking (ADR): 	Symbol (fish and tree) Symbol (fish and tree)	
 14.6 Special precautions for user Hazard identification number (Kemler code): EMS Number: Stowage Category 	Warning: Flammable liquids. - F-E, <u>S-E</u> A	
• 14.7 Maritime transport in bulk according to IM instruments	10 Not applicable.	
	(Contd. on page 8	

Page 8/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.06.2022

Version number 65 (replaces version 64)

Revision: 30.03.2022

Trade name: MOTIP BITUMEN UNDERCOATING 1 LTR

	(Contd. of page 7
· Transport/Additional information:	
· ADR	
· Limited quantities (LQ)	5L
\cdot Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· Transport category	3
• Tunnel restriction code	E
· Remarks:	> 450 l: 3 F1, III
· IMDG	
· Limited quantities (LQ)	5L
\cdot Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 1000 ml
· Remarks:	> 30 l: 3, III
· UN "Model Regulation":	UN 1139 COATING SOLUTION, 3, III, ENVIRONMENTALLY HAZARDOUS

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category
- E2 Hazardous to the Aquatic Environment
- P5c FLAMMABLE LIQUIDS
- \cdot Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t
- \cdot Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- · National regulations:

· Other regulations, limitations and prohibitive regulations

- · Substances of very high concern (SVHC) according to REACH, Article 57
- None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

- H225 Highly flammable liquid and vapour.
- H226 Flammable liquid and vapour.
- H304 May be fatal if swallowed and enters airways.
- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.
- H336 May cause drowsiness or dizziness.
- *H411 Toxic to aquatic life with long lasting effects.*

EUH066 Repeated exposure may cause skin dryness or cracking.

· Department issuing SDS: R&D legislation and regulatory advisor

· Contact: e-mail: sds-nl@european-aerosols.com

(Contd. on page 9)

GB

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 01.06.2022

Version number 65 (replaces version 64)

Revision: 30.03.2022

Trade name: MOTIP BITUMEN UNDERCOATING 1 LTR

	(Contd. of page
Abbreviations and acronyms:	
RID: Règlement international concernant le transport des marchandises dangereuses par cher International Transport of Dangerous Goods by Rail)	min de fer (Regulations Concerning the
ICAO: International Civil Aviation Organisation	
ADR: Accord relatif au transport international des marchandises dangereuses par route (Euro	opean Agreement Concerning the
International Carriage of Dangerous Goods by Road)	1 0 0
IMDG: International Maritime Code for Dangerous Goods	
IATA: International Air Transport Association	
GHS: Globally Harmonised System of Classification and Labelling of Chemicals	
EINECS: European Inventory of Existing Commercial Chemical Substances	
ELINCS: European List of Notified Chemical Substances	
CAS: Chemical Abstracts Service (division of the American Chemical Society)	
VOC: Volatile Organic Compounds (USA, EU)	
PBT: Persistent, Bioaccumulative and Toxic	
SVHC: Substances of Very High Concern	
vPvB: very Persistent and very Bioaccumulative	
Flam. Liq. 2: Flammable liquids – Category 2	
Flam. Liq. 3: Flammable liquids – Category 3	
Eye Irrit. 2: Serious eye damage/eye irritation – Category 2	
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3	
Asp. Tox. 1: Aspiration hazard – Category 1	
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Categ	ory 2
* Data compared to the previous version altered.	•