

Page 1/9

*

*

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 02.06.2022

Version number 177 (replaces version 176)

Revision: 30.03.2022

	I: Identification of the substance/mixture and of the company/undertaking
1.1 Product id	-
	MOTIP CYCLING PTFE SPRAY 200 ML
No further rel Sector of Use	r: 000295 dentified uses of the substance or mixture and uses advised against evant information available. ner uses: Private households / general public / consumers
SU22 Profes	sional uses: Public domain (administration, education, entertainment, services, craftsmen) ory Other coatings and paints
PROC7 Indu PROC11 No.	strial spraying 1 industrial spraying f the substance / the mixture Lubricant
1.3 Details of Manufacturer European Aer	
Wolfraamweg NL-8471 XC V The Netherlan	2 Volvega ds
	@european-aerosols.com
*Formerly know	own as Motip Dupli B.V.
1.4 Emergenc	nation obtainable from: Department Product Safety y telephone number: 94400 (09:00h - 17:00h)
UK: NPIS Na	ional Poisons Information Centre Tel: +44 0344 892 0111
SECTION 2	P: Hazards identification
	tion of the substance or mixture according to Regulation (EC) No 1272/2008 ne
Aerosol 1	H222-H229 Extremely flammable aerosol. Pressurised container: May burst if heated
Aquatic Chron	tic 3 H412 Harmful to aquatic life with long lasting effects.
U	ording to Regulation (EC) No 1272/2008 classified and labelled according to the GB CLP regulation.
^	
GHS02	

Page 2/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 02.06.2022

Version number 177 (replaces version 176)

Revision: 30.03.2022

Trade name: MOTIP CYCLING PTFE SPRAY 200 ML

d Danger tements
tements
PExtremely flammable aerosol. Pressurised container: May burst if heated.
Harmful to aquatic life with long lasting effects.
ary statements
If medical advice is needed, have product container or label at hand.
Keep out of reach of children.
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Do not spray on an open flame or other ignition source.
Do not pierce or burn, even after use.
Do not breathe spray.
2 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
Dispose of contents / container in accordance with regional regulations.
information:
epeated exposure may cause skin dryness or cracking.
explosive mixtures possible without sufficient ventilation.
pazards
PBT and vPvB assessment
upplicable.
applicable.

· 3.2 Mixtures

*

• *Description: Mixture of substances listed below with nonhazardous additions.*

CAS: 64742-55-8	Distillates (petroleum), hydrotreated light paraffinic	25-<50%
EINECS: 265-158-7 Index number: 649-468-00-3 Reg.nr.: 01-2119487077-29	Sisterior (Source and Source a	23 \3070
CAS: 74-98-6 EINECS: 200-827-9 Index number: 601-003-00-5 Reg.nr.: 01-2119486944-21	propane Flam. Gas 1A, H220 Press. Gas (Comp.), H280	12.5-<20%
EC number: 918-481-9 Reg.nr.: 01-2119457273-39	Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, < 2% aromatics Asp. Tox. 1, H304 EUH066	10-<12.5%
CAS: 106-97-8 EINECS: 203-448-7 Index number: 601-004-00-0 Reg.nr.: 01-2119474691-32	butane (containing < 0,1 % butadiene (203-450-8)) ♦ Flam. Gas 1A, H220 Press. Gas (Comp.), H280	10-<12.5%
CAS: 109-66-0 EINECS: 203-692-4 Index number: 601-006-00-1 Reg.nr.: 01-2119459286-30	pentane Flam. Liq. 2, H225 Asp. Tox. 1, H304 Aquatic Chronic 2, H411 STOT SE 3, H336 EUH066	10-<12.5%
CAS: 75-28-5 EINECS: 200-857-2 Index number: 601-004-00-0 Reg.nr.: 01-2119485395-27	isobutane (containing < 0,1 % butadiene (203-450-8)) Flam. Gas IA, H220 Press. Gas (Comp.), H280	10-<12.5%

GB

Page 3/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 02.06.2022

Version number 177 (replaces version 176)

Revision: 30.03.2022

Trade name: MOTIP CYCLING PTFE SPRAY 200 ML

• Additional information: For the wording of the listed hazard phrases refer to section 16.

(Contd. of page 2)

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- \cdot After skin contact: Generally the product does not irritate the skin.
- After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: Drink plenty of water and provide fresh air. Call for a doctor immediately.
- \cdot 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** *No further relevant information available.*

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- \cdot 5.2 Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- · 5.3 Advice for firefighters -
- · Protective equipment: Mouth respiratory protective device.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Mount respiratory protective device. Wear protective equipment. Keep unprotected persons away. Keep away from ignition sources.
- 6.2 Environmental precautions: Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
 6.4 Reference to other sections
- See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

• 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. No special measures required.

• Information about fire - and explosion protection: Do not spray onto a naked flame or any incandescent material. Keep ignition sources away - Do not smoke. Keep respiratory protective device available.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

Requirements to be met by storerooms and receptacles:
 Observe official regulations on storing packagings with pressurised containers.
 Information about storage in one common storage facility: Not required.

(Contd. on page 4)

GB

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 02.06.2022

Version number 177 (replaces version 176)

Revision: 30.03.2022

Trade name: MOTIP CYCLING PTFE SPRAY 200 ML

- Further information about storage conditions: Keep container tightly sealed.
- · Storage class: 2 B
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

106-97-8 butane (containing < 0,1 % butadiene (203-450-8))

- WEL Short-term value: 1810 mg/m³, 750 ppm Long-term value: 1450 mg/m³, 600 ppm
 - Carc (if more than 0.1% of buta-1.3-diene)

109-66-0 pentane

WEL Long-term value: 1800 mg/m³, 600 ppm

- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see item 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures: Wash hands before breaks and at the end of work. Do not inhale gases / fumes / aerosols.
- Respiratory protection:



In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Filter A2/P3

- Hand protection Not required.
- · Material of gloves Not required.
- · Penetration time of glove material Not required.
- · Eye/face protection Not required.

SECTION 9: Physical and chemical properties

 9.1 Information on basic physical and c General Information 	
· Physical state	Aerosol
· Colour:	Light brown
· Odour:	Solvent-like
• Odour threshold:	Not determined.
Melting point/freezing point:	Undetermined.
· Boiling point or initial boiling point and	l boiling
range	Not applicable, as aerosol.
- Flammability	Not applicable.
Lower and upper explosion limit	
Lower:	0.6 Vol % (Hydrocarbons, C10-C13, n-alkanes,
	isoalkanes, cyclics, $< 2\%$ aromatics)
Upper:	10.9 Vol % (74-98-6 propane)
Flash point:	Not applicable, as aerosol.
Ignition temperature:	$>200^{\circ}C$ ($>392^{\circ}F$) (Hydrocarbons, C10-C13, n-
~ •	alkanes, isoalkanes, cyclics, $< 2\%$ aromatics)
Decomposition temperature:	Not determined.
· pH	Not determined.

(Contd. of page 3)

GB

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 02.06.2022

Version number 177 (replaces version 176)

Revision: 30.03.2022

Trade name: MOTIP CYCLING PTFE SPRAY 200 ML

	(Contd. of page 4
· Viscosity:	
· Kinematic viscosity	Not determined.
· Dynamic:	Not determined.
· Solubility	
· water:	Not miscible or difficult to mix.
· Partition coefficient n-octanol/water (log value)	Not determined.
· Vapour pressure at 20 °C (68 °F):	3500 hPa (2625.2 mm Hg)
· Density and/or relative density	
• Density at 20 •C (68 •F):	0.7 g/cm ³ (5.8 lbs/gal)
· Relative density	Not determined.
· Vapour density	Not determined.
· 9.2 Other information	
· Appearance:	
· Form:	Aerosol
· Important information on protection of health an	ıd
environment, and on safety.	
• Explosive properties:	Not determined.
· Solvent content:	
• Organic solvents:	65.0 %
\cdot VOC (EC)	
	438.8 g/l
· VOC-EU%	65.00 %
· Solids content:	3.3 %
Change in condition	
· Evaporation rate	Not applicable.
\cdot Information with regard to physical hazard class	
· Explosives	Void
· Flammable gases	Void
· Aerosols	Extremely flammable aerosol. Pressurised container:
	May burst if heated.
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void
· Flammable solids	Void
• Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammable	
gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
· Desensitised explosives	Void

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

*

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.

· 10.5 Incompatible materials: No further relevant information available.

(Contd. on page 6)

GB

Page 6/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 02.06.2022

Version number 177 (replaces version 176)

Revision: 30.03.2022

Trade name: MOTIP CYCLING PTFE SPRAY 200 ML

· 10.6 Hazardous decomposition products: No dangerous decomposition products known.

(Contd. of page 5)

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- · Acute toxicity

· LD/LC50 values relevant for classification:

Hydrocarbons,	C10-C13, n-alkanes,	, isoalkanes,	cyclics,	< 2% aromatics

Oral	LD50	>5000 mg/kg (rat)
Dermal	LD50	>3000 mg/kg (rab)

Inhalative LC50 / 4 h >4951 mg/m3 (rat)

109-66-0 pentane

- Oral
 LD50
 >5000 mg/kg (rat)

 Inhalative
 LC50 / 4h
 25.3 mg/l (rat)
- Innatative LC3074n 23.5 mg/t (rat)
- Skin corrosion/irritation No irritant effect.
- Serious eye damage/irritation No irritating effect.
- Respiratory or skin sensitisation No sensitising effects known.
- 11.2 Information on other hazards
- · Endocrine disrupting properties
- None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- Aquatic toxicity:
- 109-66-0 pentane

EC50 / 48 h 9.7 mg/l (daphnia magna)

EC50 / 96 h 4.26 mg/l (fish)

LC50/96 h 4.26 mg/l (fish)

· 12.2 Persistence and degradability No further relevant information available.

- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes:
- Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Harmful to aquatic organisms

GB

(Contd. on page 7)

Page 7/9

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 02.06.2022

Version number 177 (replaces version 176)

Revision: 30.03.2022

Trade name: MOTIP CYCLING PTFE SPRAY 200 ML

(Contd. of page 6)

GB

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packaging:

· Recommendation:

*

Disposal must be made according to official regulations. Disposal must be made according to official regulations.

14.1 UN number or ID number	
ADR, IMDG, IATA	UN1950
14.2 UN proper shipping name	
ADR	1950 AEROSOLS
IMDG	AEROSOLS
IATA	AEROSOLS, flammable
14.3 Transport hazard class(es)	
ADR	
Class	2 5F Gases.
Label	2.1 2.1
IMDG, IATA	
Class	2.1 Gases.
Label	2.1
14.4 Packing group ADR, IMDG, IATA	not regulated
14.5 Environmental hazards:	Not applicable.
14.6 Special precautions for user Hazard identification number (Kemler code):	Warning: Gases.
EMS Number:	F-D,S-U
Stowage Code	SW1 Protected from sources of heat.
	SW22 For AEROSOLS with a maximum capacity of 1
	litre: Category A. For AEROSOLS with a capacity
	above 1 litre: Category B. For WASTE AEROSOLS:
~ · ~ ·	Category C, Clear of living quarters.
Segregation Code	SG69 For AEROSOLS with a maximum capacity of 1
	litre:
	Segregation as for class 9. Stow "separated from" clas
	1 except for division 1.4.
	For AEROSOLS with a capacity above 1 litre:
	Segregation as for the appropriate subdivision of class
	2. For WASTE AEROSOLS:

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 02.06.2022

Version number 177 (replaces version 176)

Revision: 30.03.2022

Trade name: MOTIP CYCLING PTFE SPRAY 200 ML

	(Contd. of page 7
	Segregation as for the appropriate subdivision of class 2.
· 14.7 Maritime transport in bulk according t	to IMO
instruments	Not applicable.
· Transport/Additional information:	
· ADR	
· Limited quantities (LQ)	1L
· Excepted quantities (EQ)	Code: E0
	Not permitted as Excepted Quantity
	Code: E0
	Not permitted as Excepted Quantity
· Transport category	2
• Tunnel restriction code	D
· IMDG	
· Limited quantities (LQ)	1L
· Excepted quantities (EQ)	Code: E0
	Not permitted as Excepted Quantity
	Code: E0
	Not permitted as Excepted Quantity
· UN "Model Regulation":	UN 1950 AEROSOLS, 2.1

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.

· Seveso category P3a FLAMMABLE AEROSOLS

- \cdot Qualifying quantity (tonnes) for the application of lower-tier requirements 150 t
- \cdot Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t
- · National regulations:

· Other regulations, limitations and prohibitive regulations

· Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

*

- H220 Extremely flammable gas.
- H225 Highly flammable liquid and vapour.
- H280 Contains gas under pressure; may explode if heated.
- H304 May be fatal if swallowed and enters airways.
- H336 May cause drowsiness or dizziness.
- H411 Toxic to aquatic life with long lasting effects.

EUH066 Repeated exposure may cause skin dryness or cracking.

· Department issuing SDS: R&D legislation and regulatory advisor

· Contact: e-mail: sds-nl@european-aerosols.com

(Contd. on page 9)

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 02.06.2022

Version number 177 (replaces version 176)

Revision: 30.03.2022

Trade name: MOTIP CYCLING PTFE SPRAY 200 ML

(Contd. of page 8)
· Abbreviations and acronyms:
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the
International Transport of Dangerous Goods by Rail)
ICAO: International Civil Aviation Organisation
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the
International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
VOC: Volatile Organic Compounds (USA, EU)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
SVHC: Substances of Very High Concern
vPvB: very Persistent and very Bioaccumulative
Flam. Gas 1A: Flammable gases – Category 1A
Aerosol 1: Aerosols – Category 1
Press. Gas (Comp.): Gases under pressure – Compressed gas
Flam. Liq. 2: Flammable liquids – Category 2
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
Asp. Tox. 1: Aspiration hazard – Category 1
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3
$\cdot *$ Data compared to the previous version altered.
GB