

SAFETY DATA SHEET
5L SAKURA MIGHTY GREEN CAR SHAMPOO
Commission Regulation (EU) No 2015/830 of 28 May 2015.

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Product name 5L SAKURA MIGHTY GREEN CAR SHAMPOO
Product number 800-146-0995
Container size 5L

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Detergent.

1.3. Details of the supplier of the safety data sheet

Supplier SAXON
Everland Road,
Hungerford
Berkshire,
RG17 0DX
Website: www.saxon-brands.com
Telephone: 01488 689 400
e-mail: info@saxon-brands.com

1.4. Emergency telephone number

Emergency telephone Telephone: 01488 689 400

National emergency telephone number In case of a medical emergency following exposure to a chemical call NHS Direct in England or Wales 0845 46 47 or NHS 24 in Scotland 08454 24 24 24

SECTION 2: Hazards identification**2.1. Classification of the substance or mixture****Classification (EC 1272/2008)**

Physical hazards Not Classified
Health hazards Eye Irrit. 2 - H319
Environmental hazards Not Classified

2.2. Label elements**Pictogram**

Signal word Warning

Hazard statements H319 Causes serious eye irritation.

Precautionary statements P102 Keep out of reach of children.
P262 Do not get in eyes, on skin, or on clothing.
P264 Wash contaminated skin thoroughly after handling.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313 If eye irritation persists: Get medical advice/ attention.
P501 Dispose of contents/ container in accordance with local regulations.

5L SAKURA MIGHTY GREEN CAR SHAMPOO

Contains C12-14-ALKYL ETHER SULFATES, COCONUT DIETHANOLAMIDE

Detergent labelling < 5% anionic surfactants, < 5% non-ionic surfactants, < 5% perfumes, Contains 2-Bromo-2-nitropropane-1, 3-diol, d-LIMONENE

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

C12-14-ALKYL ETHER SULFATES			1-5%
CAS number: 68891-38-3	EC number: 500-234-8	REACH registration number: 01-2119488639-16-XXXX	
Classification			
Skin Irrit. 2 - H315			
Eye Dam. 1 - H318			
Aquatic Chronic 3 - H412			
COCONUT DIETHANOLAMIDE			1-5%
CAS number: 68603-42-9	EC number: 931-329-6		
Classification		Classification (67/548/EEC or 1999/45/EC)	
Skin Irrit. 2 - H315		Xi;R38,R41.	
Eye Dam. 1 - H318			
Aquatic Chronic 2 - H411			
BRONOPOL (INN)			<1%
CAS number: 52-51-7	EC number: 200-143-0	REACH registration number: 01-2119980938-15-XXXX	
M factor (Acute) = 10			
Classification		Classification (67/548/EEC or 1999/45/EC)	
Acute Tox. 4 - H302		Xn;R21/22 Xi;R37/38,R41 N;R50	
Acute Tox. 4 - H312			
Skin Irrit. 2 - H315			
Eye Dam. 1 - H318			
STOT SE 3 - H335			
Aquatic Acute 1 - H400			
Aquatic Chronic 2 - H411			

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information Provide eyewash station.

Inhalation N/A

5L SAKURA MIGHTY GREEN CAR SHAMPOO

Ingestion	Do not induce vomiting. Rinse mouth thoroughly with water. Give plenty of water to drink. Keep affected person under observation. Get medical attention if any discomfort continues. Show this Safety Data Sheet to the medical personnel.
Skin contact	Rinse immediately with plenty of water.
Eye contact	Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention if irritation persists after washing. Show this Safety Data Sheet to the medical personnel.

4.2. Most important symptoms and effects, both acute and delayed

General information	Provide eyewash station.
Skin contact	Prolonged contact may cause redness, irritation and dry skin.
Eye contact	The product is irritating to eyes and skin. Prolonged or repeated exposure may cause the following adverse effects: Irritation and redness, followed by blurred vision. Corneal damage. Risk of serious damage to eyes.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor	No specific recommendations.
-----------------------------	------------------------------

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	Use fire-extinguishing media suitable for the surrounding fire. Extinguish with foam, carbon dioxide or dry powder.
-------------------------------------	---

5.2. Special hazards arising from the substance or mixture

Hazardous combustion products	Thermal decomposition or combustion products may include the following substances: Oxides of carbon. Toxic gases or vapours.
--------------------------------------	--

5.3. Advice for firefighters

Protective actions during firefighting	Control run-off water by containing and keeping it out of sewers and watercourses.
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	Wear protective clothing as described in Section 8 of this safety data sheet.
-----------------------------	---

6.2. Environmental precautions

Environmental precautions	Contain spillage with sand, earth or other suitable non-combustible material. Collect and dispose of spillage as indicated in Section 13. Avoid the spillage or runoff entering drains, sewers or watercourses.
----------------------------------	---

6.3. Methods and material for containment and cleaning up

Methods for cleaning up	Absorb spillage with sand or other inert absorbent. Collect and place in suitable waste disposal containers and seal securely. Flush contaminated area with plenty of water.
--------------------------------	--

6.4. Reference to other sections

Reference to other sections	For personal protection, see Section 8. See Section 11 for additional information on health hazards. For waste disposal, see Section 13.
------------------------------------	--

SECTION 7: Handling and storage

5L SAKURA MIGHTY GREEN CAR SHAMPOO

7.1. Precautions for safe handling

Usage precautions	Avoid contact with eyes.
Advice on general occupational hygiene	Good personal hygiene procedures should be implemented. Do not eat, drink or smoke when using this product. Wash skin thoroughly after handling. Take off contaminated clothing and wash it before reuse. Use appropriate hand lotion to prevent defatting and cracking of skin.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions	Store at temperatures above °C/°F. Suitable container materials: Polyethylene.
----------------------------	--

7.3. Specific end use(s)

Specific end use(s)	The identified uses for this product are detailed in Section 1.2.
----------------------------	---

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Ingredient comments	No exposure limits known for ingredient(s).
----------------------------	---

C12-14-ALKYL ETHER SULFATES (CAS: 68891-38-3)

DNEL	Workers - Inhalation; Long term systemic effects: 175 mg/m ³ Workers - Dermal; Long term systemic effects: 2750 mg/kg/day Consumer - Inhalation; Long term systemic effects: 52 mg/m ³ Consumer - Dermal; Long term systemic effects: 1650 mg/kg/day Consumer - Oral; Long term systemic effects: 15 mg/kg/day
-------------	--

PNEC	- Fresh water; 0.24 mg/l - marine water; 0.024 mg/l - Intermittent release; 0.071 mg/l - Sediment, Fresh water; 0.917 mg/kg - Sediment, marine water; 0.092 mg/kg - Soil; 7.5 mg/kg - STP; 10,000 mg/l
-------------	--

COCONUT DIETHANOLAMIDE (CAS: 68603-42-9)

DNEL	Workers - Inhalation; Long term systemic effects: 73.4 mg/m ³ Workers - Dermal; Long term systemic effects: 4.16 mg/kg/day Workers - Dermal; Long term local effects: 0.0936 mg/cm ² General population - Inhalation; Long term systemic effects: 21.73 mg/m ³ General population - Dermal; Long term systemic effects: 2.5 mg/kg/day General population - Dermal; Long term local effects: 0.0562 mg/cm ² General population - Oral; Long term systemic effects: 6.25 mg/kg/day
-------------	--

PNEC	- Fresh water; 0.007 mg/l - marine water; 0.001 mg/l - STP; 830 mg/l - Sediment (Freshwater); 0.195 mg/kg - Sediment (Marinewater); 0.019 mg/kg - Soil; 0.035
-------------	--

BRNOPOL (INN) (CAS: 52-51-7)

5L SAKURA MIGHTY GREEN CAR SHAMPOO

DNEL	Workers - Inhalation; Long term systemic effects: 4.1 mg/m ³
	Workers - Inhalation; Short term systemic effects: 12.3 mg/m ³
	Workers - Inhalation; Long term local effects: 4.2 mg/m ³
	Workers - Inhalation; Short term local effects: 4.2 mg/m ³
	Workers - Dermal; Long term systemic effects: 2.3 mg/kg/day
	Workers - Dermal; Short term systemic effects: 7 mg/kg/day
	Workers - Dermal; Long term local effects: 0.013 mg/cm ²
	Workers - Dermal; Short term local effects: 0.013 mg/cm ²
	General population - Inhalation; Long term systemic effects: 1.2 mg/m ³
	General population - Inhalation; Short term systemic effects: 3.7 mg/m ³
	General population - Inhalation; Long term local effects: 1.3 mg/m ³
	General population - Inhalation; Short term local effects: 1.3 mg/m ³
	General population - Dermal; Long term systemic effects: 1.4 mg/kg/day
	General population - Dermal; Short term systemic effects: 4.2 mg/kg/day
	General population - Dermal; Long term local effects: 0.008 mg/cm ²
	General population - Dermal; Short term local effects: 0.008 mg/cm ²
	General population - Oral; Long term systemic effects: 0.35 mg/kg/day
	General population - Oral; Short term systemic effects: 1.1 mg/kg/day
PNEC	- Fresh water; 0.01 mg/l
	- marine water; 0.008 mg/l
	- Intermittent release; 0.0025 mg/l
	- STP; 0.43 mg/l
	- Sediment (Freshwater); 0.041 mg/kg
	- Sediment (Marinewater); 0.00328 mg/kg
- Soil; 0.5 mg/kg	

8.2. Exposure controls

Protective equipment



Appropriate engineering controls

Provide adequate ventilation.

Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Unless the assessment indicates a higher degree of protection is required, the following protection should be worn: Tight-fitting safety glasses. Personal protective equipment for eye and face protection should comply with European Standard EN166.

Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. It is recommended that gloves are made of the following material: Polyvinyl chloride (PVC). Rubber (natural, latex).

Other skin and body protection

Use barrier creams to prevent skin contact. Wear appropriate clothing to prevent repeated or prolonged skin contact.

Hygiene measures

No specific hygiene procedures recommended but good personal hygiene practices should always be observed when working with chemical products. Wash hands after contact. Use appropriate skin cream to prevent drying of skin.

Respiratory protection

Respiratory protection not required.

Environmental exposure controls

Avoid release to the environment. Users should be aware of environmental considerations and their duties under the environmental protection act. Further information may be found on Government websites: www.dti.gov.uk/access/index/htm and www.envirowise.gov.uk.

5L SAKURA MIGHTY GREEN CAR SHAMPOO

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Clear liquid.
Colour	Green.
Odour	Lemon.
pH	pH (concentrated solution): 7.4
Relative density	1.022 @ @20°C
Solubility(ies)	Soluble in water.
Explosive under the influence of a flame	Not considered to be explosive.
Comments	Information given is applicable to the product as supplied.

9.2. Other information

Other information	Not relevant.
-------------------	---------------

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity	There are no known reactivity hazards associated with this product.
------------	---

10.2. Chemical stability

Stability	Stable at normal ambient temperatures.
-----------	--

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions	Not applicable.
------------------------------------	-----------------

10.4. Conditions to avoid

Conditions to avoid	Avoid exposure to high temperatures or direct sunlight.
---------------------	---

10.5. Incompatible materials

Materials to avoid	No specific material or group of materials is likely to react with the product to produce a hazardous situation.
--------------------	--

10.6. Hazardous decomposition products

Hazardous decomposition products	No known hazardous decomposition products.
----------------------------------	--

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological effects	No information available.
General information	This product has low toxicity.
Ingestion	May cause irritation. Symptoms following overexposure may include the following: Stomach pain. Nausea, vomiting. Diarrhoea.
Skin contact	Skin irritation should not occur when used as recommended. Prolonged or repeated exposure may cause the following adverse effects: Irritation. Redness. Dryness and/or cracking. Mild dermatitis, allergic skin rash.

5L SAKURA MIGHTY GREEN CAR SHAMPOO

Eye contact Irritating to eyes. May cause serious eye damage. Severe irritation, burning, tearing and blurred vision. Corneal damage.

SECTION 12: Ecological information

Ecotoxicity There are no data on the ecotoxicity of this product. Not regarded as dangerous for the environment.

12.1. Toxicity

Toxicity Not considered toxic to fish.

12.2. Persistence and degradability

Persistence and degradability There are no data on the degradability of this product. The surfactant(s) contained in this product complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them at their direct request, or at the request of a detergent manufacturer.

12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

12.4. Mobility in soil

Mobility The product is water-soluble and may spread in water systems.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Other adverse effects None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information Do not discharge into drains or watercourses or onto the ground.

Disposal methods Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Reuse or recycle products wherever possible.

SECTION 14: Transport information

General The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

5L SAKURA MIGHTY GREEN CAR SHAMPOO

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78
and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations	The Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No. 2677) (as amended).
EU legislation	Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended). Commission Regulation (EU) No 453/2010 of 20 May 2010. Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended). Commission Directive 2000/39/EC of 8 June 2000 establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work (as amended). Commission Decision 2000/532/EC as amended by Decision 2001/118/EC establishing a list of wastes and hazardous waste pursuant to Council Directive 75/442/EEC on waste and Directive 91/689/EEC on hazardous waste with amendments. Commission Regulation (EU) No 2015/830 of 28 May 2015.
Guidance	Workplace Exposure Limits EH40. ECHA Guidance on the Application of the CLP Criteria. ECHA Guidance on the compilation of safety data sheets. COSHH Essentials. Technical Guidance WM2: Hazardous Waste.

15.2. Chemical safety assessment

Currently we do not have information from our suppliers about this.

SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet	DNEL: Derived No Effect Level. PBT: Persistent, Bioaccumulative and Toxic substance. PNEC: Predicted No Effect Concentration. MARPOL 73/78: International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978.
Revision comments	New revision number applied to comply with Commission Regulation (EU) No 2015/830 Of 28 May 2015' NOTE: Lines within the margin indicate significant changes from the previous revision.
Revision date	23/12/2019
Revision	4

5L SAKURA MIGHTY GREEN CAR SHAMPOO

Supersedes date	05/06/2017
SDS number	10720
Risk phrases in full	Not classified. R21/22 Harmful in contact with skin and if swallowed. R22 Harmful if swallowed. R37/38 Irritating to respiratory system and skin. R38 Irritating to skin. R41 Risk of serious damage to eyes. R50 Very toxic to aquatic organisms.
Hazard statements in full	H302 Harmful if swallowed. H312 Harmful in contact with skin. H315 Causes skin irritation. H318 Causes serious eye damage. H319 Causes serious eye irritation. H335 May cause respiratory irritation. H400 Very toxic to aquatic life. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.